



SEA RAY SUNDANCER 320

Merk	Sea Ray	Soort	Speedboten & Sportboten, Sportcruisers
Type	Nieuwe modellen	Motorvermogen	600-700 PK
Gewicht	6350 kg.	Lengte over alles	10.01
Breedte over alles	3.23 m	Tank	598 l.
Personen	10	Bouwjaar	2026
Prijs	€ 374.950,00		

OPTIONS

UITGEVOERD MET

Standard Options:

Cup holders, stainless steel (11)	Floor liner, fiberglass
Lighting, LED (courtesy)	Outlets, 12V accessory (bow & helm) – 5
Outlet, 120V GFCI	Outlets, USB-A & USB-C dual port (3)
Self-bailing cockpit	Steps, boarding (integrated)
Table, fiberglass with dedicated storage (cockpit)	Bow walkthrough with hinged windshield door & fiberglass block-off door
Cabin entry door, sliding lockable	Engine room hatch, electrically actuated with emergency pull handle & prop rod
Transom door, acrylic with stainless steel frame & hardware	Bow lounge seating with adjustable headrests & foldable armrests
Cockpit social area	Aft L-shaped bench seating
Opposing starboard bench seating	Helm bucket seats (dual) with flip-up bolsters
Port companion bench seat with convertible backrest	Bow storage
Cockpit storage (under seating)	Cooler storage (cockpit)
Side panel tubs	Countertop, solid surface
Handrail, stainless steel	Outlet, 120V GFCI
Sink, stainless steel with hot & cold faucet	Trash receptacle, pull-out
Bow rail, stainless steel	Cleats, stainless steel through-bolted (10â€³) – 8
Curtains (front, side & aft) with tonneau cover & canvas storage bag	Deck fill plates, stainless steel
Drain plug, brass-threaded (garboard)	Eyes, stainless steel (bow & stern)
Handrails, stainless steel (cockpit)	Hardtop, fiberglass
Horn, stainless steel	Hull windows, acrylic
Light, foldable (stern)	Lights, navigation (stainless steel)
Rub rail, PVC with stainless steel insert	Ski tow eye, stainless steel (transom; not available with transom sungate seating option)
Stringer system, fiberglass	Swim platform, integral with undermount stainless steel four-step swim ladder & grab handle

Thru-hull fittings, stainless steel	Windshield, tempered tinted glass
Windshield wiper (starboard)	Anchor storage
Storage for dock lines, fenders & gear (transom wall)	Lighting, LED (courtesy & accent)
Steps with aluminum frame & teak treads (cabin entry)	Microwave
Outlet, 120V GFCI	Refrigerator, dual-voltage
Storage cabinets, lower	Door, lockable
Exhaust vent, 12V	Flooring & backsplash, tile
Full fiberglass enclosure	Handrail, stainless steel
Lighting, LED (courtesy)	Medicine cabinet with mirrored doors
Outlet, 120V GFCI	Shower curtain
Sink, vessel with faucet & shower wand	Toilet paper holder
Towel hook	VacuFlush® head with holding tank
Vanity with solid surface countertop & storage	Window, ventilation
Beds, twin (2) with sheet set (converts into queen bed with storage underneath)	Carbon monoxide monitor
Curtains, privacy	Outlet, 12V accessory
Outlet, 120V GFCI	Pillows, accent
Storage, in-floor	Storage cabinets & lockers with shelves
Carbon monoxide monitor	Outlet, 12V accessory
Outlet, 120V GFCI	Outlet, USB-A & USB-C dual port
Pillows, accent	Seating, V-shaped (converts with filler cushion into sleeper for 2 with storage underneath)
Shades, pleated (hull windows)	Table, dinette (solid wood)
Battery charger, 12V onboard	Battery switches, remote
Electrical system, 120V 60Hz	Fuse block
Isolator, galvanic	Main distribution panel, AC/DC with voltage & current meters
Mercury Marine® MerCathode® corrosion protection system	Shorepower, 120V 30A with (2) 50â€² cords
Apollo™ RA770 AM/FM stereo (helm)	Apollo™ Series amplifier, 4-channel (1200W)
Bluetooth™	Digital Signal Processing (DSP)
NRX300 remote unit (cabin)	Wi-Fi audio streaming with Apple AirPlay® 2
XS Series speakers (6.5â€³) – 3 pairs	Alarm, high water
Digital Dash, dual (9â€³)	Active Trim control & monitoring
Mercury Marine® SmartCraft® Connect	Simrad® NSX® (9â€³) touchscreen displays (2)

Transducer with depth, water temperature & fishfinder

Mercury Marine® SmartCraft® Digital Throttle & Shift (DTS)

Engine start / stop

Steering, power-assisted with Isotta Vertice tilt wheel

Tilt & trim, power

Bilge pump, 1100 GPH 12V automatic high-water (mid-ship)

Bilge storage, finished (aft)

Fire suppression system, automatic with manual override

Sump box with automatic pump (mid-ship) for shower

Evaporative emissions fuel system

Fuel tank with anti-siphon valve & electric sending unit

Variable Running Surface (trim tabs)

Holding tank with dockside pump-out, 28 gal

Shower, hot & cold (transom)

Water inlet, dockside

Water pressure system with 12V pump & filtration

Mercury Marine® Joystick Piloting for Sterndrives

Active Trim speed-based automatic engine trim system with integrated GPS

Parallel start system with battery parallel

Switch panel with illuminated weatherproof stainless steel switches

Bilge lighting, 12V

Bilge pumps, 1700 GPH 12V automatic (aft)

Blowers, 12V

Oil filters, remote

Vents, integral

Fuel lines, USCG compliant

Propellers, stainless steel

Holding tank level indicator (main distribution panel)

Freshwater spigot

Water heater, 6 gal

Water manifold system

Water tank, 32 gal